SPE RESPONSE FOR CERTIFICATE OF CORRECTION	
DATE 8-30-06	Paper No.:
DATE : 8-30-06 TO SPE OF : ART UNIT 16/6	
SUBJECT : Request for Certificate of Corr	rection on Patent No.: <u>686/4/5</u>
A response is requested with respect to the	accompanying request for a certificate of correction.
If response is for an IFW, return to emp MADRAS.	rrection Branch – South Tower – 9A22 ployee (named below) via PUBSCofC Team in
	orrecting Office and/or Applicant's errors, should the orrection (COCIN)? No new matter should be introduced, no nanged. Valerie Jackson
Thank You For Your Assistance	Certificates of Correction Branch Tel. No. 703-308-9390 ext. 114
The request for issuing the above-ide	entified correction(s) is hereby:
図 Approved	All changes apply.
☐ Approved in Part	Specify below which changes do not apply.
☐ Denied	State the reasons for denial below.
Comments:	· ·
We all a	Land
	NI PADMANABHAN ORY PATENT EXAMINER (

SPE

Art Unit

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO.

6,861,415 B2

APPLICATION NO.:

09/180,132

ISSUE DATE

March 1, 2005

INVENTOR(S)

Hyun K. Kim et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover page, under the Abstract, please correct the formula to read:

Fig. 1A, between formulas 1 and 2, please replace "Me₃SiC" with -- Me₃SiCl --.

Fig. 1A, between formulas 2 and 3, please replace "CF₃)₂CO" with -- (CF₃)₂CO --.

Column 2, under Summary of the Invention, please correct the formula to read:

I

Column 3, under Detailed Description of the Invention and Preferred Embodiments, please correct the formula to read:

MAILING ADDRESS OF SENDER (Please do not use customer number below):

TOWNSEND AND TOWNSEND AND CREW LLP Two Embarcadero Center, Eighth Floor San Francisco, CA 94111-3834

60711896 v1